




Name of article	Net Web	Secondary backing ISO 2424	Conductive action back
Method of production ISO 2424	Flat woven	Electrostatic loading ISO 6356	< 2 KV
Width ISO 3018	ca. 400	Surface resistivity ISO 10965 ROT	10 ⁹ Ω
Surface structure ISO 2424	Schlinge	Transparency to heat ISO 8302	0,09 K*m ² /W
Colourways	Mix	Light fastness ISO 105-B02	≥ 5
Pile material ISO 2424	100 % Polyamid	Water fastness EN ISO 105 E01	4
Primary backing ISO 2424	PES, PP	Friction fastness EN ISO 105-X12	≥ 3-4
Overall weight ISO 8543	ca. 2450 g/m ²	Stitch rate ISO 1763	ca. 144000/m ²
Overall thickness ISO 1765	ca. 5 mm		
Pile service weight	ca. 800 g/m ²		



EN 14041 | DOP: 1060 OC 6323-C2 | NB: 1658

Health-promoting properties AIR

- Free from PVC and bitumen.
- Free from formaldehyde.
- Reduction of fine dust in the breathing air.
- Free from harmful emissions and odors.
- TVOC limits are immediately met.
- Suitable for allergy sufferers



Health-promoting ACOUSTIC properties

- Improved impact sound insulation +16dB
- Enhanced room acoustics +0.15α_w
- Increased employee concentration and motivation through enhanced well-being
- Acoustically effective

Hz	125	250	500	1000	2000	4000
α _s	0,00	0,00	0,05	0,20	0,15	0,10



Environmental properties

AACC96BB
PRODIS-ID | product pass

- Recycled primary backing
- Easy cleaning with water only



Product Information

The fine weave quality creates a coarsely structured, melange-like surface appearance. Seam markings on small-patterned flatweaves are typical of the fabric. The reason for the occasionally occurring zipper effect in the appearance at the seam edges does not lie in the design, but in the fabric construction or patterning. is revealed in its simplicity.

Installation Instructions

The precise seam cut is carried out professionally using a steel ruler and a laying knife with a trapezoidal blade. The use of pile scissors is recommended for processing cut studs to ensure a flawless appearance.



Made in Europe (production according to EU standard)

Data status 21.04.2024. Subject to changes due to technical advancements.