

## Characteristic features EN 1307

Name of article	<b>AT Xpositive</b>	Secondary backing ISO 2424	Welltex® Acoustic
Method of production ISO 2424	Getuftet	Electrostatic loading ISO 6356	< 2 KV
Width ISO 3018	ca. 50x50	Surface resistivity ISO 10965 ROT	10 <sup>9</sup> Ω
Surface structure ISO 2424	Schlinge	Transparency to heat ISO 8302	0,09 K*m² /W
Colourways	Style	Light fastness ISO 105-B02	≥ 5
Pile material ISO 2424	100 % Polyamid Econyl® by Aquafil	Water fastness EN ISO 105 E01	4
Primary backing ISO 2424	PES	Friction fastness EN ISO 105-X12	≥ 3-4
Overall weight ISO 8543	ca. 2050 g/m²	Stitch rate ISO 1763	ca. 256000/m²
Overall thickness ISO 1765	ca. 5,8 mm		
Pile service weight	ca. 650 g/m²		



EN 14041 | DOP: 1060 OC 3497 | NB: 1658

### Health-promoting properties AIR

- Free from PVC and bitumen.
- Free from formaldehyde.
- Reduction of fine dust in the breathing air.
- Free from harmful emissions and odors.
- TVOC limits are immediately met.
- Suitable for allergy sufferers

HEALTH

### Health-promoting ACOUSTIC properties

- High acoustic effectiveness as standard
- Improved impact sound insulation +29dB
- Enhanced room acoustics +0.3α<sub>w</sub>

Hz	125	250	500	1000	2000	4000
α <sub>s</sub>	0,02	0,08	0,19	0,29	0,28	0,34

- Increased employee concentration and motivation through enhanced well-being

### Environmental properties

DBA7BAFE  
PRODUSID | product pass

- 100% recycling and take-back responsibility by the manufacturer
- 100% recycled yarn
- Recycled primary backing
- 100% recycled secondary backing
- Weight reduction of up to 50%
- Easy cleaning with water only

### Product Information

AT XPOSIVE - Our unique two-tone high/low loop presents an individual tile pattern that intentionally deviates from conventional carpet rolls. In lighter color variations, this visual diversity can vary, underscoring the uniqueness of each tile.

### Installation Instructions

Please note that the visual diversity when combining the tiles has no impact on the product quality, but rather is a characteristic feature of the tile. By selectively choosing individual tiles, you effortlessly create a harmonious overall image. Perfect craftsmanship and appealing design for creative space arrangement.

Made in Europe (production according to EU standard)

Data status 13.03.2024. Subject to changes due to technical advancements.